


SIGN TYPE **A** **INDIVIDUAL CHANNEL LETTERS | ONE SET REQ'D.**

See Exterior Elevations for sign colors.

SCALE: 3/8" - 1'




GE LED LAYOUT

**SPECIAL CONSTRUCTION NOTES:**


- 1) ALL L.E.D.'s IN LETTERS AT A PARTICULAR LOCATION MUST HAVE SAME BIN#.
- 2) SPRAYLAT SEMI GLOSS PAINT ON ALL RETURNS AND RETAINERS PER CUSTOMER APPROVED CONTROL SAMPLE.
- 3) NO ADHESIVE TO BE USED TO ATTACH FACE MATERIAL TO THE METAL RETAINERS.
- 4) ALL WEEP HOLES IN LETTERS TO HAVE WEEP HOLE COVERS @ INTERIOR.

**MATERIAL COLORS**


	3M 3630-49 BURGUNDY TRANS. VINYL
	SPRAYLAT 3004 PURPLE RED
	BURGUNDY TRIM CAP OR 3004 PURPLE RED METAL RETAINERS
	.177 CYRO #SG-015-2 WHITE ACRYLIC




3 DETAIL N.T.S.



4 ALT. PLASTIC RETAINER DETAIL N.T.S.



**COST PLUS BANNER**  
TYPICAL ACRYLIC FACED LETTER SECTION



**WORLD MARKET LETTERS**  
TYPICAL ACRYLIC FACED LETTER SECTION

**ELECTRICAL SPECIFICATIONS**

GE POWER SUPPLIES 120V - (13) REQ'D  
GEPS 12-60 (13) @ .85 AMPS = 8.5  
TOTAL AMPS = 8.5 (Typical)

(1) 120V-20 AMP CIRCUIT REQUIRED  
16 AMP MAXIMUM LOAD PER 20 AMP CIRCUIT



12704 DuPont Circle Tampa, FL 33626  
(813) 855-4415 (800) 284-3284 Fax (813) 854-3037

Manufacturing Facilities:  
Oceanside, CA - Euless, TX - Jacksonville, TX - Delaware, OH

Office Locations:  
Oceanside, CA - Las Vegas, NV - Laughlin, AZ  
Idaho Falls, ID - Euless, TX - Jacksonville, TX - San Antonio, TX  
Houston, TX - Corpus Christi, TX - Indianapolis, IN  
Louisville, KY - Knoxville, TN - Graton, WI - Delaware, OH  
Willowbrook, IL - Tunica, MS - Atlanta, GA  
Tampa, FL - Daytona Beach, FL - Orlando, FL

Building Quality Signage Since 1901

Revisions:

_____	_____
_____	_____
_____	_____

Colors Depicted In This Rendering May Not Match Actual Finished Materials. Refer To Product Samples For Exact Color Match.

Client Approval/Date: \_\_\_\_\_

Landlord Approval/Date: \_\_\_\_\_

Account Rep: MARK SCHAEFER

Project Manager: CHERYL YOUNG

Drawn By: JDR Reilly

UL Underwriters Laboratories Inc. ncc ELECTRIC TO USE U.L. LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS

ALL ELECTRICAL SIGNS ARE TO COMPLY WITH U.L. 48 AND ARTICLE 600 OF THE N.E.C. STANDARDS, INCLUDING THE PROPER GROUNDING AND BONDING OF ALL SIGNS.



Job Number: \_\_\_\_\_

WM-CP 3'0" X 22'6" WHITE

Date: 4.8.14

Sheet Number: 7 Of 24

Design Number: \_\_\_\_\_

This original drawing is provided as part of a planned project and is not to be exhibited, copied or reproduced without the written permission of Federal Heath Sign Company, LLC or its authorized agent. © FHSC